PLASTRIBUTION LTD
Joseph Putt
FINDEL HOUSE ASHBY ROAD
LE65 1XY
United Kingdom
Email Address: joseph.putt@plastribution.co.uk

Issue Date: 01 Jul 2024

Dear Sir / Madam:

In response to your request, please find enclosed the product regulatory summary for requested product.

As regulations are subject to change, customers are encouraged to download the latest regulatory summary from customer portal: OneConnect or contact customer service for the latest copy.

If you have any questions or need additional information please contact your ExxonMobil sales representative or Customer Account Specialist.

To find specific statements or regulatory information in Product Regulatory Summary(PRS), you can press *Ctrl+F* to search for key words or phrases within the PDF file.

Exceed™ XP 8784MK ASIA PACIFIC
Reference ID: PRS0000236717_O

Product Regulatory Summary

Product Name: Exceed™ XP 8784MK
Manufacturing Region: ASIA PACIFIC

Category: Food Regulations & Pharmacopoeia

CHINA FOOD CONTACT REGULATIONS

With regard to the requirements set forth in the following National Standards that are applicable to the product referenced above:

1) <National Standard of the People's Republic of China GB4806.1-2016, National Food Safety Standard on General Safety Requirements of Food Contact Materials and Articles> (Issue Date: Oct. 19, 2016, Implementation Date: Oct. 19, 2017), and

2) <National Standard of the People's Republic of China GB4806.7-2023, National Food Safety Standard on Plastic Materials and Articles for Food Contact> (Issue Date: Sept. 6, 2023, Implementation Date: Sept. 6, 2024), and

3) <National Standard of the People's Republic of China GB9685-2016, National Food Safety Standard on Use of Additives in Food Contact Materials and Articles> (Issue Date: Oct. 19, 2016, Implementation Date: Oct. 19, 2017), and

4) <National Standard of the People's Republic of China GB31603-2015, National Food Safety Standard on General Hygienic Practice for Production of Food Contact Materials and Its Products> (Issue Date: Sep. 21, 2015, Implementation Date: Sep. 21, 2016).

we declare the above product complies with mentioned requirements, and the following information for reference by our downstream customers:

以上产品符合下列国家标准中规定的要求：:

1) **中华人民共和国国家标准**GB4806.1-2016，**《食品安全国家标准食品接触材料及制品通用安全要求》（发布日期：**2016**年**10**月**19**日；实施日期：**2017**年**10**月**19**日），及**

2) **中华人民共和国国家标准**GB4806.7-2023，**《食品安全国家标准食品接触用塑料及制品》（发布日期：**2023**年**9**月**6**日；实施日期：**2024**年**9**月**6**日），及**

3) **中华人民共和国国家标准**GB9685-2016，**《食品安全国家标准食品接触材料及制品用添加剂使用标准》（发布日期：**2016**年**10**月**19**日；实施日期：**2017**年**10**月**19**日），及**

4) **中华人民共和国国家标准**GB31603-2015，**《食品安全国家标准食品接触材料及制品生产通用卫生规范》（发布日期：**2015**年**9**月**21**日；实施日期：**2016**年**9**月**21**日）**

我们提供以下信息供下游客户参考：

1 RESIN

The base resin in the above polymer product is listed in the <National Standard of the People's Republic of China GB4806.7-2023, National Food Safety Standard on Plastic Materials and Articles for Food Contact> and is subject to the following restriction(s):

Entry 152: Polymer of ethylene and 1-hexene; CAS no : 25213-02-9; SML : 3.0 mg/kg (1-hexene).

树脂 上述聚合物产品中的基础树脂列入中华人民共和国国家标准GB4806.7- 2023，**《食品安全国家标准食品接触用塑料及制品》，并受到以下限制：**

第152**号树脂：乙烯与**1-**己烯的聚合物；**CAS**号：**25213-02-9**；特定迁移限量（**SML**）**: 3.0 mg/kg（1-**己烯**）**

2 ADDITIVES

The additive(s) (as defined under Article 2.1 of GB9685-2016) that are present in the above product are authorized according to the <National Standard of the People's Republic of China GB9685-2016, National Food Safety Standard on Use of Additives in Food Contact Materials and Articles>, and are subject to the following restriction(s):

添加剂

上述产品中所含添加剂（根据GB9685-2016**第**2.1**条所定义）根据中华人民共和国国家标准**GB9685-2016 **《食品安全国家标准食品接触材料及制品用添加剂使用标准》允许使用，并受到以下限制**:

Additive: Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl) propionate; CAS no : 2082-79-3; Max. conc.*: 700 ppm; SML/QM Restriction: SML = 6 mg/kg food.

Additive: Polyethylene glycol; CAS no : 25322-68-3; Max. conc.* : 680 ppm; SML/QM Restriction: ethylene glycol: SML(T) = 30 mg/kg food (ethylene glycol).

Additive : Hexafluoropropylene and vinylidene fluoride copolymer CAS no : 9011-17-0; SML/QM Restriction: SML = 0.01 mg/kg food (hexafluoropropylene); 5 mg/kg food (vinylidene fluoride)

Specific migration limit(s) (SML) of additive(s) listed in this statement were assessed and validated in accordance with <National Standard of the People's Republic of China GB31604.1-2023, National Food Safety Standard on Migration Test of Food Contact Materials and Articles> and <National Standard of the People's Republic of China GB5009.156-2016, National Food Safety Standard on Pre-treatment Methods for Migration Test of Food Contact Materials and Articles>, using a product sample that represents the above product of 100 micron thickness and found to be within the applicable SML as listed above in the following food simulants (at 60 °C, 10 days): a. 4% acetic acid b. 95% ethanol

* Max. conc. refers to the max. amount of specified additive present in the above product and is provided for general guidance purposes only.

添加剂：β - (3，5-**二 叔丁基**-4-**羟基苯基）丙酸十八醇酯；** CAS**号：**2082-79-3**；**
最大浓度*：700 ppm**；特定迁移限量/最大残留量**（SML/QM）**：**SML= 6 mg/kg**食品。**

添加剂：聚乙二醇； CAS**号：**25322-68-3**；**
最大浓度*：680 ppm**；特定迁移限量/最大残留量**（SML/QM）**：**SML (T) = 30 mg/kg**食品（以乙二醇计）。**

添加剂：1，1，2，3，3，3-**六氟**-1-**丙烯与**1，1-**二氟乙烯的聚合物；** CAS**号：**9011-17-0**；特定迁移限量/最大残留量**（SML/QM）**：**SML= 0.01 mg/kg**食品** (1，1，2，3，3，3-**六氟**-1-**丙烯**)；5 mg/kg **食品**
（1，1-**二氟乙烯**）。**

此声明中列明的添加剂的特定迁移限量根据中华人民共和国国家标准GB31604.1-2023，**《食品安全国家标准食品接触材料 及制品迁移试验通则》，以及中华人民共和国国家标准**GB5009.156-2016，**《食品安全国家标准食品接触材料及制品迁移 试验预处理方法通则》进行了评估及验证，测试用的代表性产品样品的厚度为**100**微米，测试用的食品模拟物如下：（测试条件：**60℃，**10**天**）** a.4%**乙酸** b.95%**乙醇**

评估及验证的结论为该添加剂符合上述特定迁移限量（SML）**的限制要求。**

***最大浓度是指存在于上述产品中的特定添加剂的最高含量，仅供参考。**

GENERAL NOTE:

It is the responsibility of the manufacturer of finished food contact materials and articles - made from or containing this product - to carry out appropriate overall migration limit (OML) and specific migration limit (SML) tests on the finished materials and articles to determine the regulatory suitability for contact with different food-types and various end-use conditions.

We appreciate you choosing our products as part of your raw materials and hope the above information is helpful for your compliance responsibility. If you need further information or have any questions regarding the above or use with other food-types and/or end-uses, please do not hesitate to contact us, we will be happy to provide all relevant information upon your request and, where our proprietary information is involved, under a confidentiality agreement.

注：

食品接触材料和制品的制造商有责任对由上述产品制造或含有上述产品的成品材料和制品进行适当的总迁移量（OML）**和特定迁移限量**（SML）**测试，以确定其与不同食品类型接触时符合法规的要求及各种最终使用条件。**

感谢您选择我们的产品作为您的原材料的一部分，希望以上信息对您产品合规性判定有所帮助。 如果您需要进一步的信 息或对以上所述有任何疑问，或对食品类型和/或最终用途有任何疑问，请跟我们联系，我们将很乐意根据您的要求提供 所有相关信息。如相关信息需要保密，我们可以在签订保密协议的条件下提供。

EUROPEAN FOOD CONTACT REGULATIONS

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

EU FOOD-CONTACT REGULATION

The monomer(s) and the additive(s) intentionally used in the above polymer grade are listed in Annex 1 or are authorized in accordance with the requirements of Commission Regulation (EU) No 10/2011 of 14 January 2011, as amended up to Regulation (EU) No 2023/1627 on plastic materials and articles intended to come into contact with food.

The above polymer grade complies with the relevant requirements of Regulation (EC) No 1935/2004 in as far as:
* the grade is produced using Good Manufacturing Practice as required in article 3.1 of Regulation (EC) No 1935/2004 and meets the guidelines for Good Manufacturing Practice as specified in Regulation (EC) No 2023/2006 (on good manufacturing practice for materials and articles intended to come in contact with food).
* With respect to Regulation (EU) 2022/1616, above polymer is made from monomers included in the Union list of authorized monomers. No individual recycling processes requiring authorization are used in the production of above polymer grade.
* the production of the above grade ensures traceability as required in article 17.1 of Regulation (EC) No 1935/2004.
* the polymer production aids and aids to polymerization are either permitted in one or more EU Member State(s) and/or have been risk assessed based on the following assumptions:

100% migration, 1kg/food packed with 6dm2 of packaging, article thickness of 250 microns

EU MEMBER STATES

As for the compliance status with EU Member States laws and/or recommendations where specific requirements exist for substances other than monomers and additives, the following can be stated:

The polymer production aids ("PPA") possibly present in the above polymer are permitted in the following countries.

Belgium
- "Arrêté royal du 3 juillet 2005 relatif aux matériaux et aux objets en matière plastique destinés à entrer en contact avec les denrées alimentaires", as amended up to "Arrêté royal du 10 février 2011"

France
- "Arrêté du 2 janvier 2003 relatif aux matériaux et objets en matière plastique mis ou destinés à être mis au contact des denrées, produits et boissons alimentaires", as amended up to "Arrêté du 1er avril 2011"

Germany
- "Bedarfsgegenständeverordnung in der Fassung der Bekanntmachung vom 23. Dezember 1997 (BGBl. 1998 I S. 5)", as amended up to "Verordnung vom 24.06.2013 (BGBl. I S. 1682)"

- BfR Empfehlung III "Polyethylen" from the Bundesinstitut fuer Risikobewertung "BfR". 01.04.2021

Italy
- "Decreto 21 marzo 1973, concernente la disciplina igienica degli imballaggi, recipienti, utensili destinati a venire in contatto con le sostanze alimentari o con sostanze d'uso personale", as amended up to "Decreto 04 febbraio 2013, n. 23 (G.U. Serie Generale n. 71 del 25 marzo 2013)"

Spain
- "Real Decreto 866/2008, de 23 de mayo, por el que se aprueba la lista de sustancias permitidas para la fabricación de materiales y objetos plásticos destinados a entrar en contacto con los alimentos y se regulan determinadas condiciones de ensayo", as amended up to "Orden PRE/628/2011, de 22 de marzo"

The Netherlands
- "Warenwetregeling verpakkingen en gebruiksartikelen" Staatscourant kenmerk 328583-117560-VGP from March 14, 2014. Hoofdstuk 1 - Kunststoffen

SWITZERLAND:

The composition of the above polymer grade meets the requirements of the Swiss Ordinance on material and objects in Plastic, SR 817.023.21 of 16. Dezember 2016 (Stand am 1. Februar 2024)

- The composition of the base polymeric component(s) in this polymer grade complies with the positive lists for allowed monomers in the above referenced legislation.
- The additives that may be present comply with the lists for additives in the above referenced legislation, unless explicitly referred to in the additives note below. Information regarding additives subject to a restriction in food (dual use additives) and information on lipophilic substances are not applicable in Switzerland.

Monomer restrictions:

The above grade is manufactured with a monomer that has the following SML restriction:

1-Hexene: SML = 3 mg/kg (EC Ref No 18820) Under the current SML restrictions given in the EC Directive, there is no need for checking any monomer specific migration limit other than 1-hexene, whatever the thickness of the food-contact article involved.

- Presence of additives with SML

The above polymer grade does contain one or more additive(s) that is/are subject to a Specific Migration Limit (SML).

- Presence of dual use additives

The above polymer grade does contain one or more additive(s) that is/are subject to a restriction in food as referred to in Article 11.3 of EU Regulation 10/2011.

Note For information purpose only

This note contains information relative to the presence of additives subject to a restriction according to EU Regulation 10/2011, as described in this statement.

Additive : Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate EC Ref. No : 68320 Max. conc* : 700 ppm Restriction : SML = 6mg/kg food - Lipophilic substance

Additive : Talc EC Ref. No : 92080 Max. conc.* : 6000 ppm Restriction : Dual use additive

Additive : Inorganic antiblocking agents (Calcium Carbonate, Magnesium Oxide Max. Conc.* : 50 ppm Restriction : Dual use additive

Additive : Polyethylene glycol EC Ref. No : 76960 Max. conc.* : 680 ppm Restriction : Dual use additive

* This information is provided for general guidance purposes only and provides no guarantees or warranties in respect of this information and has no responsibility or liability for any use by any third party of this information.

Note on Overall Migration Limit ("OML") and on Specific Migration Limits ("SML's"), where applicable

Finished plastics food-contact materials or articles, made from or containing this product, need to comply with Overall Migration Limit ("OML") requirements and Specific Migration Limits ("SML"), where applicable and when tested on the food-contact surface with the appropriate food simulants and time/temperature test conditions. This is the responsibility of the user of this polymer product.

In addition to the above compositional compliance status certification, the polymer user is required to carry out the appropriate overall migration ("OML") and specific migration ("SML") tests on the final material or article to determine the regulatory suitability for contact with different food-types (aqueous, fat/oil, alcoholic, etc.) and various end-use conditions (material or article thickness, pure or in blends, volume, contact time of packaging, temperature of use, etc.), all of which are beyond control of the polymer manufacturer.

GENERAL NOTE

The manufacturer of food-contact materials and articles - made from or containing this polymer grade - must ensure that the finished materials or articles meet the general regulatory requirements that they do not bring about an unacceptable change in the composition of the foodstuffs or a deterioration in the organoleptic characteristics thereof and do not release constituents in foodstuffs in quantities that can endanger human health.

In addition, the finished food-contact material or article must be technically suitable for the intended use.

JAPAN FOOD CONTACT REGULATIONS

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

Amended Japan Food Sanitation Act (Issue Date: Nov 30, 2023, Implementation date: June 1st, 2025)

The base polymer(s) and the additive(s) intentionally used in the product are listed in the published Positive List (Appendix 1 of the "Standards for the utensils or containers and packaging or the raw materials (amended on Nov 30, 2023)" under Food Sanitation Act, Article 18, Section 3) or are exempt. The dosage(s) of additive(s) are below the maximum level of use specified in the Positive List for this product.

The manufacturer of food-contact materials and articles made from or containing this product grade must ensure that the finished materials or articles meet the regulatory requirement under the Japan Food Sanitation Act.

PHARMACOPOEIA STATUS (EU)

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

This product is not intended for or supported for use in pharmaceutical or medical applications requiring compliance with European Pharmacopoeia.

UNITED STATES FOOD REGULATIONS DIRECT FOOD ADDITIVE (FDA)

Direct food additive claims and/or Secondary Direct food additive (with a technical effect) claims are currently not available for the product grade above.

UNITED STATES FOOD REGULATIONS INDIRECT FOOD ADDITIVE (FDA)

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

This product complies with FDA regulation 21 CFR 177.1520 (Olefin polymers), paragraphs (c)3.1a and (c)3.2a, and may be used as articles or components of articles intended for use in contact with all food types identified in Table 1 of 21 CFR 176.170(c), including use in articles used for packing or holding food during cooking. Finished articles may contact food only under Conditions of Use B through H described in Table 2 of 21 CFR 176.170(c), at temperatures not in excess of 212F.

This product is produced under conditions of good manufacturing practice as required by 21 C.F.R. § 174.5(a) and is of a purity suitable for its intended use in food contact applications in accordance with the regulatory citations identified above.

The manufacturer of an indirect food additive, food contact substance, or article containing this product has the responsibility to ensure compliance with all applicable FDA laws and regulations to ensure that any finished food contact article is of a purity suitable for its intended use.

Product Name: Exceed™ XP 8784MK
Manufacturing Region: ASIA PACIFIC

Category: Other Regulations

ALLERGENS IN FOOD

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

With regards to the presence of food allergens:

EUROPE:

The following substances or products causing allergies or intolerances (as listed in annex II of regulation (EU) No 1169/2011 on the provision of food information to consumers), amended up to REGULATION (EU) 2015/2283 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL:

1. Cereals containing gluten, namely: wheat (such as spelt and khorasan wheat), rye, barley, oats or their hybridised strains, and products thereof, 2. Crustaceans and products thereof; 3. Eggs and products thereof; 4. Fish and products thereof, 5. Peanuts and products thereof; 6. Soybeans and products thereof, 7. Milk and products thereof (including lactose), 8. Nuts, namely: almonds (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (Juglans regia), cashews (Anacardium occidentale), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia vera), macadamia or Queensland nuts (Macadamia ternifolia), and products thereof, except for nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin; 9. Celery and products thereof; 10. Mustard and products thereof; 11. Sesame seeds and products thereof; 12. Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO2 which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturers; 13. Lupin and products thereof; 14. Molluscs and products thereof. are not intentionally used by ExxonMobil in this product.

USA:

The following food allergens (as referred to in the Allergen Labeling and Consumer Protection Act of 2004. 21 note- FALCPA))

(1) Milk, egg, fish (e.g., bass, flounder, or cod), crustacean shellfish (e.g., crab, lobster, or shrimp), tree nuts (e.g., almonds, pecans, or walnuts), wheat containing gluten-, peanuts, and soybeans. (2) Food ingredient that contains protein derived from a food specified in paragraph above are not intentionally used by ExxonMobil in this product.

Canada:

As in effect 4 August 2012, food allergen means any protein from any of the following foods, or any modified protein that includes any protein fraction derived from any of the following foods: [B.01.010.1(1), FDR].

- almonds, Brazil nuts, cashews, hazelnuts, macadamia nuts, pecans, pine nuts, pistachios or walnuts;
- peanuts;
- sesame seeds;
- wheat or triticale;
- eggs;
- milk;
- soybeans;
- crustaceans
- shellfish;
- fish; or
- mustard seeds;
- gluten protein, modified gluten protein, or gluten protein fractions from barley, oats, rye, triticale or wheat (or a hybridized strain of any of these cereals) are not intentionally used by ExxonMobil in this product.

Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

ANIMAL DERIVED SUBSTANCES

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Substances of animal origin are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Product Name: Exceed™ XP 8784MK
Manufacturing Region: ASIA PACIFIC

BADGE- NOGE - EU 1895/2005

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

This product complies with the Commission Regulation 1895/2005 on "the restriction of use of certain epoxy derivatives in materials and articles intended to come into contact with food".

The following substances,

- 2,2-bis(4-hydroxyphenyl)propane bis(2,3-epoxypropyl) ether (BADGE),
- Bis(hydroxyphenyl)methane bis(2,3-epoxypropyl)ethers (BFDGE), and
- Novolac glycidyl ethers (NOGE),

and their derivatives, are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

CALIFORNIA PROP 65 - POLYMERS

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

Although this product is not routinely tested for Proposition 65 listed substances, the following substances may be present as a result of the specific characteristics of the raw materials and/or the manufacturing process.

Trace levels of 1,4-Dioxane (CAS no. 123-91-1) may be present

Trace levels of ethylbenzene (CAS no. 100-41-4) may be present

Trace levels of ethylene oxide (CAS no. 75-21-8) may be present

Trace levels of n-hexane (CAS no. 110-54-3) may be present

Silica

Trace levels of toluene (CAS no. 108-88-3) may be present

CANADIAN EPA

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

The List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999 (CEPA 1999) includes substances that are considered to be toxic as defined in Section 64 of the Act.

Although substances in the List of Toxic Substances in Schedule 1 are not intentionally used as a functional component in the final product, there is some indication that trace levels of the substances in the List of Toxic Substances in Schedule 1 may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

CONEG/WASTE PACKAGING

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

This product is in compliance with the relevant heavy metals requirements of the following regulations:

- European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste ("Packaging and Packaging Waste Directive"), as amended up to Commission Directive 2018/852 of 30 May 2018.

- CONEG (Coalition of Northeastern Governors) Model Legislation.

The sum of the concentrations of the following heavy metals,

- mercury, lead, cadmium and hexavalent chromium, in this product does not exceed 100 parts per million by weight.

Trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

ENDOCRINE DISRUPTORS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

There is currently no authoritative or regulatory list of endocrine disruptors. Therefore, we cannot provide definitive statements regarding their presence or absence in our products at this time. You can contact your ExxonMobil Customer Service Professional about specific substances of concern.

EURASIA AND RUSSIA REACH

Eurasian Economic Union Technical Regulation (TR 041/2017) and Russian Technical Regulation (TR 1019/2016) Communication

The information below is related to the TR 1019/2016 on Safety of Chemical Products (so-called "Russian REACH") and Eurasian Economic Union Technical Regulation 041/2017 on Safety of Chemical Products (so-called "Eurasia REACH"). The Eurasian Economic Union (EEU) covers the Republic of Armenia, Republic of Belarus, Republic of Kazakhstan, Kyrgyz Republic, and Russian Federation.

1. TR 1019/2016 on Safety of Chemical Products

Russia officially revoked its Technical Regulation on Safety of Chemical Products (1019/2016), according to a Government Decree issued on 14 June 2019. By revoking the Russian Regulation, Decree No. 761 eliminates a possible conflict or confusion with the EEU Technical Regulation on Safety of Chemical Products (041/2017).

Manufacturers/importers can now ignore the revoked Russian Regulation and focus on the implementation of the EEU TR 041/2017 on Safety of Chemical Products.

2. EEU Technical Regulation 041/2017 On Safety of Chemical Products

2.1 Chemical Inventory - The Register Formation

In support of the implementation of the EEU Technical Regulation, Russia created its portion of the EEU Register of Chemical substances and mixtures and appointed the Coordination information centre to complete the task. Manufacturers/importers have been encouraged to complete internal inventories of chemicals placed or to be placed on the Russian market and submit the relevant information to the GISP portal. After careful evaluation, ExxonMobil has submitted information to the Russian Authorities about all substances (including substances in mixtures), that we manufacture or import into the EEU by the end of 2019.

2.2 State Registration Procedure With regards to the EEU state registration procedure, at this time, ExxonMobil intends to ensure registration of all relevant
in-scope substances which we supply to the EEU. However, a range of factors could influence our final decision on whether to register certain individual substances and ExxonMobil will consider all available options. This will take some time to evaluate as we progress through the registration process. Since the registration time frame is set until the end of 2033 and may possibly be extended, it is not, at this point in time, possible to provide firm statements about the exact details of substances and mixtures to be registered and continued product availability. Any EEU-based importer will also have the obligation to fulfil the EEU TR 041/2017 registration obligations. To relieve importers of their obligation to register, ExxonMobil may arrange Only Representative support. Please contact your usual ExxonMobil representative for more information. Meanwhile, we can confirm that there are currently no plans to reformulate or discontinue any products supplied to you for the EEU market, and we do not anticipate this situation changing in the foreseeable future. In case of any changes in ExxonMobil ' s portfolio availability, we will work with customers to ensure a smooth transition to alternatives, if needed. We remain at your disposal for any further question or clarification you may need. ExxonMobil strongly recommends that customers specifically assess their legal responsibilities under EEU TR 041/2017 on Safety of Chemical Products when importing into the Eurasia Economic Area. Companies based outside of the Eurasia Economic Union, who intend to export ExxonMobil products purchased outside of the Eurasia Economic Union should consider the technical regulations obligations, including but not limited to EEU TR 041/2017 on Safety of Chemical Products registration.

MINERAL OIL

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

The above product may contain trace levels of white mineral oil meeting the specification requirements set out in Regulation (EU) No. 10/2011. The constituents of the Mineral Oil are primarily saturated hydrocarbons.

Product Name: Exceed™ XP 8784MK
Manufacturing Region: ASIA PACIFIC

NANO-SCALE MATERIALS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

According to the Commission Recommendation (2022/C 229/01) of 10 June 2022 on the definition of nanomaterial:

Nanomaterial means a natural, incidental or manufactured material consisting of solid particles that are present, either on their own or as identifiable constituent particles in aggregates or agglomerates, and where 50 % or more of these particles in the number-based size distribution fulfil at least one of the following conditions: (a) one or more external dimensions of the particle are in the size range 1 nm to 100 nm; (b) the particle has an elongated shape, such as a rod, fibre or tube, where two external dimensions are smaller than 1 nm and the other dimension is larger than 100 nm; (c) the particle has a plate-like shape, where one external dimension is smaller than 1 nm and the other dimensions are larger than 100 nm. In the determination of the particle number-based size distribution, particles with at least two orthogonal external dimensions larger than 100 µm need not be considered. However, a material with a specific surface area by volume of < 6 m2 /cm3 shall not be considered a nanomaterial. This product does not contain engineered nano-scale materials with one or more dimensions less than 100nm. Although this product is not routinely tested for the presence of
nano-scale materials, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

NATIONAL CHEMICAL INVENTORY

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

The base polymer of this product is an "Ethylene Hexene-1 Copolymer" with CAS number 25213-02-9.

United States of America: All substance(s) in this product are listed on the Toxic Substances Control Act (TSCA) - Active Inventory or are exempt.

Canada: All substance(s) in this product are listed on the Domestic Substances List (DSL) or are exempt.

Australia: All substance(s) in this product are listed on the Australian Inventory of Industrial Chemicals (AIIC) or are exempt.

Japan: All substance(s) in this product are listed on the Japanese inventory of Existing and New Chemical Substances (ENCS) or are exempt.

Korea: All substance(s) in this product are listed on the Korean Existing Chemicals Inventory (KECI) or are exempt.

China: All substance(s) in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC) or are exempt.

Philippines: All substance(s) in this product are listed on the Philippine Inventory of Chemicals and Chemical Substances (PICCS) or are exempt.

New Zealand: All substance(s) in this product are listed on the New Zealand Inventory of Chemicals (NZIoC) or are exempt.

Taiwan: All substance(s) in this product are listed on the Taiwan Chemical Substances Inventory (TCSI) or are exempt.

REACH CANDIDATE LIST

With regard to the compliance of the product referenced above with the regulation(s) identified below, the following can be declared:

On June 27, 2024 the European Chemicals Agency (ECHA) added 1 new substance to the Candidate list of Substances for eventual inclusion on the Annex XIV List of Substances subject to Authorisation on its website. This brings the total number of Substances of Very High Concern (SVHC) on the Candidate List to 241.

Following ECHA's publication of the inclusion of an SVHC in the Candidate List according to Article 59(1) of REACH, additional information requirements may apply. They are based on Article 31 (Safety Data Sheets) and on Article 33 (Substances in articles) of REACH.

According to our records, the above ExxonMobil product when supplied by ExxonMobil in EU Member States and EEA countries DOES NOT

contain a SVHC that triggers any additional action.

Any SVHC identified as being present in ExxonMobil products will be identified in the relevant sections of the EU Safety Data Sheet. The above ExxonMobil product does not contain SVHCs at levels triggering obligations under Article 31 of REACH.

Based upon the above and the information currently available, we have no evidence that the above product supplied by ExxonMobil within the EU Member States and EEA countries contains any SVHCs at levels which would require action under Articles 31 or 33 of REACH.

The information contained above is provided in good faith. No representations or warranties are made as to its completeness or accuracy. ExxonMobil will not be liable for any damages resulting from the use of or reliance on the information.

REACH REG - OR

As part of ExxonMobil's REACH communication plans, a website has been developed to assist customers in finding answers to most typical REACH-related questions including but not limited to registration status, Substances of Very High Concern (SVHC), uses, ... etc. Link to the ExxonMobil REACH web:

https://www.exxonmobil.eu/en-eu/exxonmobil-in-europe/reporting/reach

The information refers only to ExxonMobil products which are purchased by customers directly from an ExxonMobil affiliate in the European Economic Area. ExxonMobil products imported into the European Economic Area by customers either directly or as part of a mixture are not covered by this data or information. Companies based outside of EU/EEA(*), who intend to export ExxonMobil products purchased outside EU/EEA (*) should consider the REACH obligations including but not limited to REACH registrations.

A non-EU manufacturer can choose to appoint an Only Representative to relieve importers of the obligation to register. ExxonMobil does not routinely provide such service for this product. For more information about Only Representative support, please contact your normal ExxonMobil sales rep.

ExxonMobil continues to strongly recommend that customers should specifically assess their legal responsibilities under REACH when importing into the European Economic Area.

REACH-1907/2006 ANNEX XVII

With reference to Annex XVII of the REACH Regulation (EC) 1907/2006, "Restrictions on the manufacture, Placing on the Market and Use of Certain Dangerous Substances, Mixtures and Articles", the following can be declared:

This product does not contain a substance or substances identified in Annex XVII in reportable quantities. ExxonMobil expressly disclaims any and all liability of direct, indirect or consequential nature for any loss, damage, or injury suffered or incurred, directly and indirectly, as to any results obtained or arising from any use of the substance in reliance on this technical information, unless this information is directly based upon gross negligence, willful misconduct or - in case of bodily injury - simple negligence of ExxonMobil.

ROHS

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

This product is in compliance with the relevant heavy metals, flame retardants and phthalates requirements of the following regulation:

Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (EEE), RoHs II – amended by Directive (EU) 2017/2102 of the European Parliament and of the Council of 15 November 2017 and including amendment of Annex II for restricted substances up to Commission delegated Directive (EU) 2015/863 of 31 March 2015 and amendments of Annex III and IV for exemptions up to Directive (EU) 2019/1846 of 5 November 2019.

The concentrations of the following
- heavy metals (lead, cadmium, mercury & hexavalent chromium)
- flame retardants [polybrominated biphenyls (PBBs), polybrominated diphenyl ethers (PBDEs)]
- phthalates [Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP)

in this product do not exceed 0.1% by weight; and 0.01% by weight for cadmium.

Traces levels of these substances may be present resulting from the specific characteristics of the raw materials and/or of the manufacturing process.

Product Name: Exceed™ XP 8784MK
Manufacturing Region: ASIA PACIFIC

Category: Presence / Absence

ASBESTOS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Asbestos (CAS no. 1332-21-4) is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

BENZOPHENONE

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Benzophenone, 4-methylbenzophenone and hydroxybenzophenones are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

BISPHENOLS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Bisphenols: A (CAS 80-05-7) AP (CAS 1571-75-1) AF (CAS 1478-61-1) B (CAS 77-40-7) C (CAS 79-97-0) E (CAS 2081-08-5) F (CAS 1333-16-0) M (CAS 13595-25-0) S (CAS 80-09-1)

are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

BROMINE / BROMINE COMPOUNDS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Bromine and/or brominated compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Examples of brominated substances include, but are not limited to:

Polybrominated biphenyls (PBB), polybrominated diphenylethers, polybrominated terphenyls (PBTS), Bromobenzene, Bromochlorodifluoromethane, Bromotoluene, Bromotrifluoromethane.

CHLORINE/CHLORINATED COMPOUNDS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Chlorine and/or chlorinated compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Examples of chlorinated substances include but are not limited to: Chlorinated Paraffins, Dichlorobenzene, Dichlorodifluoromethane, Dichlorotetrafluoroethane, Dichlorodiphenyltrichloroethane (DDT), Dieldrin, Dioxin, Hexachlorobenzene, Hexachlorobutadiene Methylene chloride, Octachlorostyrene, Pentachlorophenol, Chlorophenol, Polychlorinated Biphenyls-PCBs, Polychlorinated Diphenylethers, Polychlorinated Naphthalenes, Polychlorinated Terphenyls, Tetrachlorobenzene, Tetrachloroethylene, Trichlorobenzene, Trichloroethylene, Trichloromethane, Vinyl chloride, Polyvinyl chloride (PVC), Polyvinyl Dichloride (PVDC), Triclosan

Product Name: Exceed™ XP 8784MK
Manufacturing Region: ASIA PACIFIC

ETHYLBENZENE

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Although Ethylbenzene (CAS no. 100-41-4) is not intentionally used as a functional component in the final product, there is some indication that trace level of Ethylbenzene (CAS no. 100-41-4) may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

FLUORINE

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

This product contains fluorinated compounds.

FORMALDEHYDE

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Formaldehyde (CAS no. 50-00-0) is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Degradation products ("fumes"), potentially including formaldehyde, can be formed during high temperature processing of this product.

HCFCS-HFCS-CFCS&OTHER HALONS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Hydrochlorofluorocarbons (HCFCs), Hydrofluorocarbons (HFCs), Chlorofluorocarbons (CFCs), Perfluorocarbons (PFCS), Bromochlorofluorocarbons and bromofluorocarbons are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

HEXAVALENT CHROMIUM COMPOUNDS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Hexavalent chromium compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

IODINE / IODINE COMPOUNDS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Iodine (CAS no. 7553-56-2) and/or its compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

MELAMINE

Product Name: Exceed™ XP 8784MK
Manufacturing Region: ASIA PACIFIC

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Melamine and/or cyanuric acid are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

METALS / METALLOIDS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

The following (heavy) metals/ transition metals / metalloids and/or their compounds

Antimony / Antimony compounds Arsenic / Arsenic compounds Barium / Barium compounds Beryllium / Beryllium compounds Bismuth / Bismuth compounds Copper / Copper compounds Cadmium / Cadmium compounds Manganese / Manganese compounds Mercury / Mercury compounds Lead / lead compounds Selenium / selenium compounds Silver / silver compounds

are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

NONYLPHENOL & ...ETHOXYLATES

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Nonylphenol, nonylphenolethoxylates, 4-octylphenol and octylphenolethoxylates are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

PALM OIL

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Although palm oil and/or palm kernel oil is not intentionally used as a functional component by ExxonMobil in the final product there is some indication/evidence that substance derived from palm oil and/or palm kernel oil may be present as a result of specific characteristics of raw materials used and/or of the manufacturing process.

PFAS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

ExxonMobil uses a purchased polymer processing aid that contains fluoropolymers in some polyethylene products, including the above grades. Fluoropolymers are a distinct subset of a broader class of substances classified as ‘per- or poly- fluoroalkyl substances’ (PFAS) that can include thousands of substances with broad variations in physico-chemical properties. Some non-polymer PFAS compounds have been shown to be associated with health effects. Fluoropolymers are distinctly different from other PFAS or subclasses of PFAS, both in structure and bioavailability. ExxonMobil is monitoring current scientific studies focused on gaining a greater understanding of the potential human health and environmental risks associated with compounds.

For further information regarding the safe handling of the above products, please refer to the Safety Data Sheet (SDS).

Contact your ExxonMobil Sales Representative in case of questions.

PHTHALATES/ADIPATES

Product Name: Exceed™ XP 8784MK
Manufacturing Region: ASIA PACIFIC

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Phthalate esters, such as
- Benzyl butylphthalate (BBP) CAS 85-68-7
- Dibutyl phthalate (DBP) CAS 84-74-2
- Di-(2-ethylhexyl) phthalate (DEHP) CAS 117-81-7
- Diisononyl phthalate (DINP) CAS 28553-12-0 / 68515-48-0
- Diisodecyl phthalate (DIDP) CAS 26761-40-0 / 68515-49-1
- Di-n-octyl phthalate (DNOP) CAS 117-84-0
- Diisooctyl phthalate (DIOP) CAS 27554-26-3
- Dicyclohexyl phthalate (DCHP) CAS 84-61-7
- Diisobutyl phthalate (DIBP) CAS 84-69-5

and Adipates such as
- Bis(2-ethylhexyl) adipate (DEHA) / Dioctyl adipate (DOA) CAS 103-23-1
- Dimethyl adipate (DMAD) CAS 762-42-5

are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

PRIMARY AROMATIC AMINES
We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Primary aromatic amines are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Examples of primary aromatic amines include but are not limited to benzidine, aniline, toluidine and naphthylamines.

RESORCINOL (1,3-BENZENEDIOL)
We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Resorcinol (1,3-benzenediol) (CAS no. 108-46-3) is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

SILICONES / SILOXANES
We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Silicones / Polysiloxanes ([R2SiO]n) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

STYRENE
We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Styrene is not intentionally used as a functional component by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

TIN / ORGANOTIN COMPOUNDS

Product Name: Exceed™ XP 8784MK
Manufacturing Region: ASIA PACIFIC

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Tin and/or its compounds (including organotin compounds) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

TNPP

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Tris(nonylphenol)phosphite (TNPP) CAS no. 26523-78-4 is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

This document is valid for one year or until the next relevant legislative and or regulatory change with a maximum of one year as of the issue date.