

PLASTRIBUTION LTD
Joseph Putt
CLINITRON HOUSE ASHBY PARK
LE65 1JG ASHBY-DE-LA-ZOUCH
Leicestershire
United Kingdom
Email Address: joseph.putt@plastribution.co.uk

Issue Date: 27 Mar 2020

Dear Sir/Madam:

In response to your request, please find enclosed the product regulatory summary for requested product.

If you have any questions or need additional information please contact your ExxonMobil sales representative.

Geolast 701-70 AMERICAS
Reference ID: PRS0000011406_C

Product Name: Geolast 701-70

Manufacturing Region: AMERICAS

Category: Food Regulations

EUROPEAN FOOD LAW

With regard to the compliance status of the ExxonMobil Chemical product referenced above with the regulation(s) identified below the following can be declared:

This product is not in compliance with either EU or EU member state directives or regulations for food contact applications.

Product Name: Geolast 701-70

Manufacturing Region: AMERICAS

Category: Other Regulations

ANIMAL DERIVED SUBSTANCES

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

This product contains animal derived materials.

CALIFORNIA PROP 65 - POLYMERS

With regard to the compliance status of the ExxonMobil Chemical product referenced above with the regulation(s) identified below the following can be declared:

Although this product is not routinely tested for Proposition 65 listed substances, the following substances may be present as a result of the specific characteristics of the raw materials and/or the manufacturing process.

Carbon black (CAS no. 1333-86-4)

Trace levels of polynuclear aromatic hydrocarbons (PNAs/PAHs) may be present

CONEG/WASTE PACKAGING

With regard to the compliance status of the ExxonMobil Chemical product referenced above with the regulation(s) identified below the following can be declared:

This product is in compliance with the relevant heavy metals requirements of the following regulations:

- European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste ("Packaging and Packaging Waste Directive"), as amended up to Commission Directive 2018/852 of 30 May 2018.

- CONEG (Coalition of Northeastern Governors) Model Legislation.

The sum of the concentrations of the following heavy metals,

- mercury, lead, cadmium and hexavalent chromium, in this product does not exceed 100 parts per million by weight.

Trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

DIMETHYLFUMARATE

With regard to the compliance status of the ExxonMobil Chemical product referenced above with the regulation(s) identified below the following can be declared:

This product meets the requirements of

COMMISSION DECISION 2009/251/EC of 17 March 2009, as amended up to Commission Implementing Decision 2012/48/EU of 26 January 2012, requiring Member States to ensure that products containing the biocide dimethylfumarate are not placed or made available on the market.

Dimethylfumarate (DMF / Dimethyl (E)-butenedioate / CAS No 624-49-7 / EINECS No 210-849-0)

is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

EU 2000/53/EC

With regard to the compliance status of the ExxonMobil Chemical product referenced above with the regulation(s) identified below the following can be declared:

Product Name: Geolast 701-70
Manufacturing Region: AMERICAS

This product is in compliance with the relevant heavy metal requirements of the following regulation:

- EU 2000/53/EC Directive (Article 4) on end-of life vehicles

amended up to

- Commission Directive (EU) 2018/849 of 30 May 2018.

The concentrations of the following heavy metals,

- lead, cadmium, mercury & hexavalent chromium,

do not exceed

- 0.1 percent by weight for lead, mercury, & hexavalent chromium, and
- 0.01 percent by weight for cadmium.

Trace levels of these substances may be present resulting from the specific characteristics of the raw materials and/or of the manufacturing process.

As far as hazardous substances are concerned (Article 4 - "Prevention" of Directive 2000/53/EC), we can confirm that this product is classified and/or labelled according to the requirements of the Regulation (EC) No 1907/2006, as amended.

Details on the possible presence in this product of substances classified as dangerous under Regulation (EC) No 1907/2006, as amended, can be found in Section 3 of the Safety Data Sheet (SDS), provided the concentration of such substances exceeds the concentration threshold for disclosure as stipulated in the Guide to the Compilation of Safety Data Sheets (Annex II of Regulation 1907/2006).

EU BIOCIDES

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

The above product has not been registered by ExxonMobil Chemical as a biocidal product, as defined in the Biocidal Products Regulation (BPR – 528/2012). ExxonMobil is not intentionally using as active substance in this product, the substances as listed in:

- Annex 1 "List of active substances referred to in Article 25" of Regulation (EU) No 528/2012 of the European Parliament and of the Council
- the Union list of approved active substances referred to in article 9.2 of Regulation (EU) No 528/2012 of the European Parliament and of the Council. (Last review : Commission implementing Regulation (EU) 2018/1622 of 30 October 2018).

Although this product is not routinely tested for their presence, based on product composition knowledge, these substances are not expected to be present.

IMDS STATUS

We are pleased to provide the following information concerning the description into IMDS of the ExxonMobil Chemical product referenced above:

According to the IMDS recommendations for the creation of Material Data Sheets (MDS), and according to GADSL list used as reference

- the ExxonMobil products are entered into IMDS as "Materials" that consist of basic substances only,
- products are identified by a "Trade name" but as well by an "ID",
- data are "published" without restriction which means they can be consulted by any company having an authorized IMDS access.

The ExxonMobil Chemical product referenced above is described by the

IMDS Material Data Sheet of ID 19275392.

NANO-SCALE MATERIALS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

There is currently no consensus regulatory definition for nano-materials. However, this product does not contain engineered nano-scale materials with one or more dimensions less than 100nm.

Product Name: Geolast 701-70

Manufacturing Region: AMERICAS

Although this product is not routinely tested for the presence of nano-scale materials, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

NATIONAL CHEMICAL INVENTORY

Europe: The base polymer(s) of this product and incorporated ingredients are listed on either the European Inventory of Existing Commercial Chemical Substances (EINECS) or the European List of Notified Chemical Substances (ELINCS), or are exempt from the listing / notification requirements.

Canada: This product meets the regulatory requirements pursuant to the Canadian Domestic Substances List (DSL).

Australia: This product and/or the components that make up this product are not listed on the Australian Inventory of Chemical Substances (AICS).

Japan: This product meets the regulatory requirements pursuant to the Japanese inventory of Existing and New Chemical Substances (ENCS).

Korea: This product and/or the components that make up this product are not listed on the Korean Existing Chemicals List (KECL).

China: This product and/or the components that make up this product are not listed on the China Inventory of Existing Chemical Substances (IECSC).

Philippines: This product and/or the components that make up this product are not listed on the Philippines Inventory of Chemicals and Chemical Substances (PICCS).

New Zealand: This product and/or the components that make up this product are not listed on the New Zealand Inventory of Chemicals (NZIoC).

Taiwan: This product and/or the components that make up this product are not listed on the Taiwan Chemical Substance Inventory (TCSI).

OZONE DEPLETING SUBSTANCES

With regard to the compliance status of the ExxonMobil Chemical product referenced above with the regulation(s) identified below the following can be declared:

Ozone depleting substances, as set forth in

- Appendices A (Class I) and B (Class II) of 40 CFR Part 82 Subpart A,
- REGULATION (EC) No 1005/2009 of the EUROPEAN PARLIAMENT and of the COUNCIL on substances that deplete the ozone layer, last amended by COMMISSION REGULATION (EU) 2017/605 of 29 March 2017 amending Annex VI and
- Montreal Protocol and amendments - Annexes A, B, C, & E,

are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

PERSISTENT ORGANIC POLLUTANTS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above.

Persistent Organic Pollutants (as listed in the Stockholm Convention - last amended May 2019) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are

Product Name: Geolast 701-70

Manufacturing Region: AMERICAS

not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

PESTICIDES

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above.

The above product is a polymer not intended for use as a pesticide.

The above product is not listed in the Annex "Active Substances Approved For Use In Plant Protection Products (i.e. fungicides, insecticides, plant growth regulators, rooting hormones, preserving plant products, herbicides, weed killers ...) of the Commission Regulation No 540/2011 implementing Regulation (EC) No 1107/2009 as regards the list of approved active substances - Amendments - Commission implementing Regulation (EU) 2018/1915 of 6 December 2018

and

- the U.S.EPA/OPP's PPIS databases (pesticide and ingredients) available from the NPIRS National Pesticide Information Retrieval System.

PNA / PAH

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Polynuclear aromatic hydrocarbons (PNAs/PAHs) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Examples of PNAs/PAHs include, but are not limited to:

- Benz(a)anthracene,
- Benzo(a)pyrene,
- Benzo(b)fluoranthene,
- Benzo(e)pyrene,
- Benzo(g,h,i)perylene,
- Dibenz(a,h)anthracene,
- Chrysene,
- Indeno(1,2,3-cd)pyrene, - Pyrene, and - Anthracene

REACH CANDIDATE LIST

With regard to the compliance of the ExxonMobil Chemical product referenced above with the regulation(s) identified below, the following can be declared:

Candidate List of Substances for Eventual Inclusion in Authorisation Process

On January 16th, 2020 the European Chemicals Agency (ECHA) added 4 new substances to the Candidate list of Substances for eventual inclusion on the Annex XIV List of Substances subject to Authorisation on its website. This brings the total number of Substances of Very High Concern (SVHC) on the Candidate List to 205.

Following ECHA's publication of the inclusion of an SVHC in the Candidate List according to Article 59(1) of REACH, additional information requirements may apply. They are based on the Article 31 (Safety Data Sheets) and on the Article 33 (Substances in articles) of REACH.

Based on analysis, the above product routinely contains >0.1 wt% of the components

EC No: 205-426-2 CAS number: 140-66-9 Substance name: 4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol) EC no: 239-622-4 CAS number: 15571-58-1 Substance name: 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) which appear on the Candidate List.

The Candidate List substances identified as being present in the above GEOLAST TPV product is identified in the relevant sections of the EU Safety Data Sheet in accordance with the requirements laid down in REACH Article 31.1c.

Article 33 further requires suppliers of articles to communicate information on substances in articles that are listed on the Candidate List. Article 33.1 requires that any supplier of an article containing > 0.1wt% of a substance on the Candidate List shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance.

Product Name: Geolast 701-70

Manufacturing Region: AMERICAS

Article 33.2 requires similar information to be provided to consumers upon request.

The information contained above is provided in good faith. No representations or warranties are made as to its completeness or accuracy. ExxonMobil will not be liable for any damages resulting from the use of or reliance on the information.

REACH REG - OR

As part of ExxonMobil's REACH communication plans, a website has been developed to assist customers in finding answers to most typical REACH-related questions including but not limited to registration status, Substances of Very High Concern (SVHC), uses, ... etc. Link to the ExxonMobil REACH web:

<https://www.exxonmobil.eu/en-eu/exxonmobil-in-europe/reporting/reach>

The information refers only to ExxonMobil products which are purchased by customers directly from an ExxonMobil affiliate in the European Economic Area. ExxonMobil products imported into the European Economic Area by customers either directly or as part of a mixture are not covered by this data or information. Companies based outside of EU/EEA(*), who intend to export ExxonMobil products purchased outside EU/EEA (*) should consider the REACH obligations including but not limited to REACH registrations.

A non-EU manufacturer can choose to appoint an Only Representative to relieve importers of the obligation to register. ExxonMobil does not routinely provide such service for this product. For more information about Only Representative support, please contact your normal ExxonMobil sales rep.

ExxonMobil continues to strongly recommend that customers should specifically assess their legal responsibilities under REACH when importing into the European Economic Area.

REACH-1907/2006 ANNEX XVII

With reference to Annex XVII of REACH Regulation (EC) No 1907/2006, "Restrictions on the manufacturing, Placing on the Market and Use of Certain Dangerous Substances, Preparations and Articles", with amendments published on ECHA web up to June 29th 2018 the following can be declared:

The product is or contains one or more substance(s) identified in Annex XVII.

According to REACH, restrictions are an instrument to protect human health and the environment from unacceptable risks posed by certain criteria or use of chemicals. When a substance and/or chemical group is listed in Annex XVII it shall comply with the conditions of the restriction confirmed in Annex XVII. The user is solely and with the exclusion of ExxonMobil responsible for all determinations and checking regarding any use of material or product and any process in accordance with REACH and any other relevant legislation, and should pay attention to the following entries in Annex XVII and the specific conditions of restrictions for those entries.

Entry 20 – Organostannic compounds (in general, for biocides only) and Dioctyltin (DOT) compounds in a concentration at or above 0,1 wt%

Entry 30 - Substances which are classified as reproductive toxicant category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 5 or Appendix 6, respectively.

ExxonMobil expressly disclaims any and all liability of direct, indirect or consequential nature for any loss, damage, or injury suffered or incurred, directly and indirectly, as to any results obtained or arising from any use of the substance in reliance on this technical information, unless this information is directly based upon gross negligence, willful misconduct or - in case of bodily injury - simple negligence of ExxonMobil.

ROHS

With regard to the compliance status of the ExxonMobil Chemical product referenced above with the regulation(s) identified below the following can be declared:

This product is in compliance with the relevant heavy metals, flame retardants and phthalates requirements of the following regulation:

Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (EEE), RoHS II – amended by Directive (EU) 2017/2102 of the European Parliament and of the Council of 15 November 2017 and including amendment of Annex II for restricted substances up to Commission delegated Directive (EU) 2015/863 of 31 March 2015 and amendments of Annex III and IV for exemptions up to Directive (EU) 2019/1846 of 5 November 2019.

The concentrations of the following heavy metals (lead, cadmium, mercury & hexavalent chromium) flame retardants [polybrominated

Product Name: Geolast 701-70

Manufacturing Region: AMERICAS

biphenyls (PBBs), polybrominated diphenyl ethers (PBDEs)] the following phthalates [Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP)]

in this product do not exceed 0.1% by weight for lead, mercury, hexavalent chromium, PBBs, PBDEs & phthalates and 0.01% by weight for cadmium. Traces levels of these substances may be present resulting from the specific characteristics of the raw materials and/or of the manufacturing process.

Product Name: Geolast 701-70

Manufacturing Region: AMERICAS

Category: Presence / Absence

ACRYLAMIDE

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Acrylamide (CAS no. 79-06-1) is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

ACRYLONITRILE

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Acrylonitrile (CAS no. 107-13-1) is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

ALKYL MESILATES

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Alkyl mesilates, e.g., methane sulphonic acid methyl esters (MMS) and methane sulphonic acid ethyl esters (EMS) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

ASBESTOS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Asbestos (CAS no. 1332-21-4) is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

BENZENE

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Benzene is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

BENZOPHENONE

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Benzophenone, 4-methylbenzophenone and hydroxybenzophenones are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

BENZOTRIAZOLES

Product Name: Geolast 701-70

Manufacturing Region: AMERICAS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above.

Benzotriazoles are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

BISPHENOL A & F & S

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Bisphenol A (BPA CAS no: 80-05-7), Bisphenol F (CAS no: 1333-16-0) and Bisphenol S (BPS CAS no: 80-09-1) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

BLOWING AGENTS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

The following blowing agents (azodicarbonamide (CAS no. 123-77-3), hydrazine derivatives, carbazoles and nitroso compounds, sodium borohydride (CAS no. 16940-66-2), CFCs, HCFCs) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

BROMINE / BROMINE COMPOUNDS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above.

Bromine and/or brominated compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Examples of brominated substances include, but are not limited to:

Polybrominated biphenyls (PBB), polybrominated diphenylethers, polybrominated terphenyls (PBTS), Bromobenzene, Bromochlorodifluoromethane, Bromotoluene Bromotrifluoromethane.

CHLORINE/CHLORINATED COMPOUNDS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above.

This product contains an inorganic chloride at concentrations typically less than 1 wt.%.

The organic chlorinated compounds listed below are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Chlorinated Paraffins, Dichlorobenzene, Dichlorodifluoromethane, Dichlorotetrafluoroethane, Dichlorodiphenyltrichloroethane (DDT), Dieldrin, Dioxin, Hexachlorobenzene, Hexachlorobutadiene Methylene chloride, Octachlorostyrene, Pentachlorophenol, Chlorophenol, Polychlorinated Biphenyls-PCBs, Polychlorinated Diphenylethers, Polychlorinated Naphthalenes, Polychlorinated Terphenyls, Tetrachlorobenzene, Tetrachloroethylene, Trichlorobenzene, Trichloroethylene, Trichloromethane, Vinyl chloride, Polyvinyl chloride (PVC), Polyvinyl Dichloride (PVDC), Triclosan

COBALT / COBALT COMPOUNDS

Product Name: Geolast 701-70

Manufacturing Region: AMERICAS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Cobalt (CAS no. 7440-48-4) and/or its compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

COLORANTS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

This product contains colorants.

FLAME RETARDANTS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

The flame retardants

- Minerals such as aluminium hydroxide, magnesium hydroxide, hydromagnesite and borates salts
- Organohalogen compounds including organochlorines such as, chlorendic acid derivatives and chlorinated paraffins; organobromines such as polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDEs) and tetrabromobisphenol (TBBP-A) and hexabromocyclododecane (HBCD or HBCDD).
- Antimony trioxide
- Organophosphorus compounds such as organophosphates, tris(2,3-dibromopropyl) phosphate, TPP, RDP, BPADP, tri-*o*-cresyl phosphate, phosphonates such as DMMP and phosphinates. Chlorophosphates like TMCP - Tris(2-chloroisopropyl) phosphate-, and TDCP -Tris(1,3- dichloroisopropyl phosphate

are not intentionally used by ExxonMobil in this product.

Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

FLUORINE

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above.

Fluorine and/or fluorinated compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

FORMALDEHYDE

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Formaldehyde (CAS no. 50-00-0) is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Degradation products ("fumes"), potentially including formaldehyde, can be formed during high temperature processing of this product.

HEXAVALENT CHROMIUM COMPOUNDS

Product Name: Geolast 701-70

Manufacturing Region: AMERICAS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above.

Hexavalent chromium compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

IODINE / IODINE COMPOUNDS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Iodine (CAS no. 7553-56-2) and/or its compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

LATEX / NATURAL RUBBER

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Latex / Natural rubber is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

METALS / METALLOIDS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

The following (heavy) metals/ transition metals / metalloids and/or their compounds

Antimony / Antimony compounds Arsenic / Arsenic compounds Barium / Barium compounds Beryllium / Beryllium compounds Bismuth / Bismuth compounds Copper / Copper compounds Cadmium / Cadmium compounds Manganese / Manganese compounds Mercury / Mercury compounds Lead / lead compounds Selenium / selenium compounds Silver / silver compounds

are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

NONYLPHENOL & ...ETHOXYLATES

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above.

Although nonylphenol, 4-octylphenol, nonylphenoethoxylates and octylphenoethoxylates are not intentionally used by ExxonMobil in this product, nor is this product routinely tested for their presence, there is evidence that trace levels of nonylphenol and/or 4-octylphenol and/or nonylphenoethoxylates may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

PFOS & PFOA

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Perfluorooctane sulfonate (PFOS) & Perfluorooctanoic acid (PFOA) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

PHENOL

Product Name: Geolast 701-70

Manufacturing Region: AMERICAS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above.

Phenol (CAS no. 108-95-2) is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

PHTHALATES/ADIPATES

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above.

Although phthalates esters and adipates are not intentionally used by ExxonMobil in this product, nor is this product routinely tested for their presence, there is some indication that trace levels of phthalates may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

PRIMARY AROMATIC AMINES

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Primary aromatic amines are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Examples of primary aromatic amines include but are not limited to benzidine, aniline, toluidine and naphthylamines.

RADIOACTIVE SUBSTANCES

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above.

Radioactive substances are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

SILICONES / SILOXANES

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above.

Silicones / Polysiloxanes ($[\text{R}_2\text{SiO}]_n$) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

STYRENE

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above.

Styrene is not intentionally used as a functional component by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

TIN / ORGANOTIN COMPOUNDS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

This product contains inorganic tin chloride and an organotin compound.

TOLUENE DIISOCYANATE (TDI)

Product Name: Geolast 701-70

Manufacturing Region: AMERICAS

We are pleased to provide the following information concerning the absence or presence of certain substances in the ExxonMobil Chemical product referenced above:

Toluene diisocyanate (TDI) not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

This document is valid for one year or until the next relevant legislative and or regulatory change with a maximum of one year as of the issue date.