

CONFIDENTIAL!

DECLARATION OF COMPLIANCE

Product: PP MOSTEN MB 720

We certify that this product fulfils the requirements on plastic materials and articles intended to come into contact with foodstuffs, as described in:

EU:

Regulation (EC) No 1935/2004 of the European Parliament and of the Council,

Commission Regulations (EC) No 1895/2005, 2023/2006,

Commission Regulations (EU) No 10/2011 as amended by regulations (EU) 1282/2011, 1183/2012, 202/2014, 865/2014, 2015/174, 2016/1416, 2017/752, 2018/79 and Commission Implementing Regulation (EU) No 321/2011.

The product meets the requirements on OML in food simulants A, B and D2 for test conditions OM5 (100 °C/2 hours) and SML of monomers, other starting substances, additives, polymer production aids, Ba, Co, Cu, Fe, Li, Mn, Zn, Al and primary aromatic amines in simulants A, B and D2 replaced by 95 % ethanol (60 °C/10 days).

Substances with restrictions/specifications: Aluminium, Al, SML = 1 mg/kg

Dual use additives (Food additives/flavourings): E 211 (Ref. No 37600 sodium salt, CAS No 532-32-1) max. 0,08 %.

Regarding composition, chemical reactions and the closed manufacturing process, we are not aware of the presence of any non-intentionally added substances (NIAS) in our product, which might subsequently be transferred into foodstuff in an amount, which could cause concern for human health.

The traceability of the product is guaranteed under Article 17 of Regulation (EC) No 1935/2004 by issuing a Certificate of Inspection for each product according to EN 10204 cl. 3.1, as well as by placing an individual code on each package in case of bagged product.

USA:

FDA, CFR, Title 21 (4/2017) 177.1520 (a)(3)(i)(c)(1), (b) and (c)3.1a Olefin polymers.

The temperature for contact of finished articles with foodstuffs must not exceed 100 °C.

Eva Budská
UNIPETROL RPA, s.r.o., Unit EKO
CZ-43670 Litvínov
E-mail: eva.budska@unipetrol.cz
2018-02-16

Disclaimer:

End users must make their own determination that their use of our product is safe, lawful and technically suitable in their intended applications.

No liability can be accepted in respect of the use of UNIPETROL RPA products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.